ROOF MAKER

WORLD CLASS ROOFLIGHTS

Call or visit us: 0116 269 6297

Mon – Fri 9-5pm

SLIMLINE® LANTERN – BAR CONFIGURATION OPTIONS

OPTION 1

- 4 PANES OF GLASS

- NO ADDITIONAL GLAZING SPLITS

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

OPTION 2

- 6 PANES OF GLASS

- 2 ADDITIONAL GLAZING SPLITS, RUNNING THROUGH THE CENTRE OF THE LONG PANES ON BOTH SIDES

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

ROOF MAKER

WORLD CLASS ROOFLIGHTS

Call or visit us: 0116 269 6297

Mon – Fri 9-5pm

SLIMLINE® LANTERN – BAR CONFIGURATION OPTIONS

OPTION 3

- 8 PANES OF GLASS

- 4 ADDITIONAL GLAZING SPLITS, RUNNING THROUGH THE CENTRE OF THE GLASS ON ALL 4 SIDES

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

OPTION 4

- 8 PANES OF GLASS

- 4 ADDITIONAL GLAZING SPLITS, DIVIDING THE LONG PANES OF GLASS INTO 3 PANELS ON BOTH SIDES

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

ROOF MAKER

WORLD CLASS ROOFLIGHTS

Call or visit us: 0116 269 6297

Mon – Fri 9-5pm

SLIMLINE® LANTERN – BAR CONFIGURATION OPTIONS

OPTION 5

- 10 PANES OF GLASS

- 6 ADDITIONAL GLAZING SPLITS, DIVIDING THE LONG PANES OF GLASS INTO 3 PANELS ON BOTH SIDES. TRIANGULAR END PANELS SPLIT DOWN THE MIDDLE

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

OPTION 6 (1 VENT)

- 6 PANES OF GLASS

- SINGLE VENT ON ONE SIDE, DIVIDING THE LONG PANE OF GLASS INTO 3 PANELS ON ONE SIDE. FULL PANEL ON OPPOSITE SIDE

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

ROOF MAKER

WORLD CLASS ROOFLIGHTS

Call or visit us: 0116 269 6297

Mon – Fri 9-5pm

SLIMLINE® LANTERN – BAR CONFIGURATION OPTIONS

OPTION 7 (1 VENT)

- 8 PANES OF GLASS

- SINGLE VENT ON ONE SIDE, DIVIDING THE LONG PANE OF GLASS INTO 3 PANELS ON ONE SIDE. OPPOSITE SIDE MIRRORED WITH 2 GLAZING BARS

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

OPTION 8 (1 VENT)

- 10 PANES OF GLASS

- SINGLE VENT ON ONE SIDE, DIVIDING THE LONG PANE OF GLASS INTO 3 PANELS ON ONE SIDE. OPPOSITE SIDE MIRRORED WITH 2 GLAZING BARS. TRIANGULAR END PANELS SPLIT DOWN THE MIDDLE

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

ROOF MAKER

WORLD CLASS ROOFLIGHTS

Call or visit us: 0116 269 6297

Mon – Fri 9-5pm

SLIMLINE® LANTERN – BAR CONFIGURATION OPTIONS

OPTION 9 (2 VENTS)

- 8 PANES OF GLASS

- 2 VENTS, ONE ON EITHER SIDE, DIVIDING THE LONG PANES OF GLASS INTO 3 PANELS ON EACH SIDE.

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

OPTION 10 (2 VENTS)

- 10 PANES OF GLASS

- 2 VENTS, ONE ON EITHER SIDE, DIVIDING THE LONG PANES OF GLASS INTO 3 PANELS ON EACH SIDE. TRIANGULAR END PANELS SPLIT DOWN THE MIDDLE

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

ROOF MAKER

WORLD CLASS ROOFLIGHTS

Call or visit us: 0116 269 6297

Mon – Fri 9-5pm

SLIMLINE® LANTERN – BAR CONFIGURATION OPTIONS

OPTION 11
(2 VENTS)

- 12 PANES OF GLASS

- 2 VENTS ON ONE SIDE, DIVIDING THE LONG PANE OF GLASS INTO 5 PANELS. OPPOSITE SIDE MIRRORED WITH GLAZING SPLITS

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

OPTION 12
(2 VENTS)

- 14 PANES OF GLASS

- 2 VENTS ON ONE SIDE, DIVIDING THE LONG PANE OF GLASS INTO 5 PANELS. OPPOSITE SIDE MIRRORED WITH GLAZING SPLITS. TRIANGULAR END PANELS SPLIT DOWN THE MIDDLE

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

ROOF MAKER

WORLD CLASS ROOFLIGHTS

Call or visit us: 0116 269 6297

Mon – Fri 9-5pm

SLIMLINE® LANTERN – BAR CONFIGURATION OPTIONS

OPTION 13
(4 VENTS)

- 12 PANES OF GLASS

- 4 VENTS, TWO ON EACH SIDE, DIVIDING THE LONG PANES OF GLASS INTO 5 PANELS.

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.

OPTION 14
(4 VENTS)

- 14 PANES OF GLASS

- 4 VENTS, TWO ON EACH SIDE, DIVIDING THE LONG PANES OF GLASS INTO 5 PANELS. TRIANGULAR END PANELS SPLIT DOWN THE MIDDLE

Image is for illustration purposes only. Proportions will vary based on exact size of lantern. Lanterns will always be pitched at 40 degrees on all 4 sides.