

Aluminium Bifold Door System

Designed to match our minimalistic aluminium rooflights



ROOF MAKER

"Integrity is our foundation, excellence is our pursuit, innovation is our goal"

Let in more light

Our Thermfold[®] Bifold Door system features our highperformance Reflex[®] glass units along with hardware from Mila, combined with Cortizo system components – for a door system you can really be proud of.

These high-performance bifold doors are designed to match our minimalistic aluminium powder coated rooflight range that also feature Reflex® glass units. We offer an industry leading 10-year unit seal and aluminium frame warranty on our Thermfold® Bifold Door system.

Are you considering bifolds and a rooflight in your next project? Call us today on 0116 4979 834 to discuss our multibuy discounts or visit our website for more information.

"Maximise the view with a minimalist design and slimline frame"



Options to suit your lifestyle

Thermfold® Bifold Door configuration options are very flexible; choose panels that fold inside or outside your property, with your specification of panel arrangement. Order panels of any size up to a maximum of 1200mm wide x 3000mm high for double glazed, and 1100mm wide x 2400mm high for triple glazed.

Thermfold[®] Bifold Doors feature Roof Maker's highperformance Reflex[®] glass units, tested to BS EN1279 parts 2 & 3.

The range of high-quality Mila handles finish off the slim door frames perfectly.



A low threshold that connects your indoor and outdoor floors seamlessly is an option, or choose a rebated threshold if you need better weather resistance.



ROOF MAKER

Keeps you warmer in the winter and cooler in the summer

Thermfold® is manufactured with a thermally broken aluminium profile for exceptional insulation to reduce heat loss and reduce your energy bills. A 30mm thermal break is used across double and triple glazed options.

Optional glazing upgrades include:

- · Solar control glazing or subtle blue tinted glass these help to reduce heat gain and remove the harsh UV rays from sunlight to protect your furniture and carpets.
- · Laminated glass for additional safety and security.

These options are available in both our bifold and rooflight range.








U-Values as low as 1.1 W/m2k for outstanding insulation *based on triple glazed option



Low threshold option shown in image - details on page 3

Colour options

Thermfold[®] are manufactured from premium aluminium, finished with marine grade powder coating for optimum durability as per our rooflights.







Delivery

With our own dedicated delivery fleet, we can arrange to deliver to you when you need us to. Our professional and experienced team will handle your order with care.

Installation

We work closely with approved installers, please talk to our team of experts for more information.

Roof Maker Warranty

All Thermfold[®] Bifold Door systems are hand-crafted with an industry leading 10-year unit seal and aluminium frame warranty for peace of mind. 10 YEAR warranty

ROOF MAKER







Visit roof-maker.co.uk to view our matching rooflight range









Roof Maker, 1 Pinfold Road, Thurmaston, Leicester LE4 8AS tel. 0116 4979 834 · e-mail: sales@roof-maker.co.uk or find us on chat at roofmaker.co.uk



